

PROJECT CODE INFORMATION

THE BUILDING SHALL BE IN COMPLIANCE WITH THE MOST RECENT VERSION OF THE FOLLOWING CODES:

2010 BUILDING CODE OF NEW YORK STATE (NYSBC)	2005 NATIONAL ELECTRICAL CODE (NEC)
2010 EXISTING BUILDING CODE OF NEW YORK STATE (NYSEBC)	2003 ICC/ANSI A117.1
2010 ENERGY CONSERVATION CODE OF NEW YORK STATE (NYSECC)	2006 NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)
2010 FIRE CODE OF NEW YORK STATE (NYSFC)	
2010 MECHANICAL CODE OF NEW YORK STATE (NYSMC)	
2010 PLUMBING CODE OF NEW YORK STATE (NYSPC)	

BUILDING 5 - ROOM 5C INFORMATION

NOTES		SECTION
DESCRIPTION	EXISTING 625 SQ.FT. KITCHEN SPACE WITHIN EXISTING VA RECREATION BUILDING (ACCESSORY SPACE TO A-3 OCCUPANCY)	
CLASSIFICATION OF WORK	ALTERATION LEVEL 1	REMOVAL AND REPLACEMENT OF EXISTING FINISHES, EQUIPMENT, AND FIXTURES THAT SERVE THE SAME PURPOSE

NYSBC 601

BUILDING 5 CONSTRUCTION TYPE

OCCUPANCY	CONST. TYPE	NOTES	SECTION
A-3	I-A	2-STORY MASONRY BUILDING WITH CAST CONCRETE STRUCTURAL SYSTEM	NYSBC 602.5

BUILDING 5 - ROOM 100A INFORMATION

NOTES		SECTION
DESCRIPTION	EXISTING 184 SQ.FT. KITCHEN SPACE WITHIN EXISTING VA ADMINISTRATION BUILDING (ACCESSORY SPACE TO B OCCUPANCY)	
CLASSIFICATION OF WORK	ALTERATION LEVEL 1	REMOVAL AND REPLACEMENT OF EXISTING FINISHES, EQUIPMENT, AND FIXTURES THAT SERVE THE SAME PURPOSE

NYSBC 601

BUILDING 7 - ROOM 32 INFORMATION

NOTES		SECTION
DESCRIPTION	EXISTING 259 SQ.FT. KITCHEN SPACE WITHIN EXISTING VA NURSING HOME BUILDING (ACCESSORY SPACE TO I-2 OCCUPANCY)	
CLASSIFICATION OF WORK	ALTERATION LEVEL 1	REMOVAL AND REPLACEMENT OF EXISTING FINISHES, EQUIPMENT, AND FIXTURES THAT SERVE THE SAME PURPOSE

NYSBC 601

BUILDING 7 CONSTRUCTION TYPE

OCCUPANCY	CONST. TYPE	NOTES	SECTION
I-2	I-A	5-STORY MASONRY BUILDING WITH CAST CONCRETE STRUCTURAL SYSTEM	NYSBC 602.5

BUILDING 9 - ROOM 100A INFORMATION

NOTES		SECTION
DESCRIPTION	EXISTING 450 SQ.FT. KITCHEN SPACE WITHIN EXISTING VA ADMINISTRATION BUILDING (ACCESSORY SPACE TO B OCCUPANCY)	
CLASSIFICATION OF WORK	ALTERATION LEVEL 1	REMOVAL AND REPLACEMENT OF EXISTING FINISHES, EQUIPMENT, AND FIXTURES THAT SERVE THE SAME PURPOSE

NYSBC 601

BUILDING 9 CONSTRUCTION TYPE

OCCUPANCY	CONST. TYPE	NOTES	SECTION
B	I-A	2-STORY MASONRY BUILDING WITH CAST CONCRETE STRUCTURAL SYSTEM	NYSBC 602.5

CONSTRUCTION TYPE REQUIREMENTS

BUILDING ELEMENT	RATING	CONST. TYPE	NOTES	SECTION
STRUCTURAL FRAME	2 HOUR	I-A		NYSBC TABLE 601
BEARING WALLS (EXT.)	2 HOUR			
BEARING WALLS (INT.)	2 HOUR			
NON-BEARING WALLS (EXT.)	0 HOUR		30' FIRE SEPARATION DISTANCE	TABLE 602
NON-BEARING WALLS (INT.)	0 HOUR			NYSBC TABLE 601
FLOOR CONSTRUCTION	2 HOUR			
ROOF CONSTRUCTION	1 HOUR			

FIRE PROTECTION SYSTEMS

ELEMENT	REQUIRED	PROVIDED	NOTES	SECTION
SPRINKLER SYSTEM	YES	YES	EXISTING SYSTEM TO REMAIN. SYSTEM TO BE MODIFIED AS REQ'D IN AREAS OF RENOVATION	NYSBC 903
YARD HYDRANTS	NA	-		NYSBC 903
STANDPIPE SYSTEMS	NA	-		NYSBC 905
PORTABLE FIRE EXTINGUISHERS	YES	YES		NYSBC 906
FIRE ALARM & DETECTION SYSTEMS	YES	YES	EXISTING SYSTEM TO REMAIN. DEVICES MODIFIED AS REQ'D IN AREAS OF RENOVATION	NYSBC 907
SMOKE AND HEAT VENTS	NO	NO		NYSBC 910

DRAWING SCALE

NONE

ISSUE DATE:

3/21/2012

PROJECT NO.

11-058

DRAWING NO.

GI-SK1

PROJECT

DEPARTMENT OF VETERAN AFFAIRS
OFFICE OF CONSTRUCTION AND FACILITY MANAGEMENT
VAMC CANANDAIGUA
KITCHEN RENOVATIONS

TITLE OF DRAWING

PROJECT CODE INFORMATION

